

Enriched Knowledge Service Platform and Cross-Database Search

September, 2015



Wanfang Data Knowledge Service Platform ("Wanfang Platform") integrates over 15 types of databases, covering journal articles, dissertation and theses, conference proceedings, English literatures, local gazetteers, laws, e-books, government reports, research achievements, patents, standards, statistical data, institutions, experts, videos, etc.

In China, Wanfang Platform serves as a main gateway to academic resources which are published in Chinese or English language.



In addition to comprehensiveness, one remarkable feature of Wanfang Platform is to offer user-friendly cross-database search for free. It allows users to easily find out targeted Chinese or English literatures in short time.

The first button that you see on Wanfang Platform is for cross-database search.





By one click, you may search five databases at the same time. The five databases cover:

- Chinese journal articles
- Chinese dissertations and theses
- Chinese conference papers
- English journal articles
- English conference papers
- English Open-Access journal articles

You may do a search from over 70 million records (by August 2015).



Quick Guide to Cross-Database Search

- Enter the home page of Wanfang Platform (http://g.wanfangdata.com.cn/). Make sure that the first button is selected or highlighted.
- Input a keyword in Chinese or English. For example, let 's input an English keyword "Earthquake".





3) Get the search results.

Cluster Information

出版状态		标题 作者 关键词 起始年 - 结束年 在结果中检索
正式出版论文	119096篇	
优先出版论文	1篇	全部 仅全文 数字出版事业部已购⋯ 排序: 相关度优先 新论文优先 经典论文优先 其他▼
学科分类	▼展开	1 <u>Examination of Element Concentrations in Groundwater by ICP-MS for</u>
▶ 天文学、地···	43888篇	<u>Monitoring of Pre-<mark>Earthquake</mark> Activities</u> [期刊论文] <u>《光谱学与光谱分析》</u> [ISTIC] [EI] [SCI] [FKU] - <u>2013年1期</u> Mehr <mark>et Yaman Ahmet Sas</mark>
▶ 工业技术	31892篇	maz Mehmet Yaman Ahmet Sasmaz
▶ 医药、卫生	3923篇	关键词: Earthquake Groundwater Elements Precursory ICP <mark>Sort the search results</mark> 查看全文 - 下载全文 - 导出 - 引用通知
▶自然科学总论	2953篇	
▶ 数理科学和…	2271篇	2 基于中红外痕量甲烷检测的地震预警仪
▶ 交通运输	2184篇	[期刊论文] <u>《光谱学与光谱分析》</u> [ISTIC] EI [SCI] [FKU] - <u>2014年6期 邱贺 刘明军</u> 田晓峰 QIU He LIU Ming-jun TIAN Xiao-feng
▶ 环境科学、…	1996篇	随着地震断裂带气体观测技术的快速发展,为了对地震进行精确的预报,减少因地震给人民群众生命和财产带来的损失,根据甲烷气体的释放与地震前上地壳岩石的微裂隙有直接关系的这一微观变化,设计并研制中
论文类型		
外文期刊	49194篇	关键词: 痕里甲烷气体 里子级联激光器 herriott气室 地震前兆预警 Trace methane gas Q uantum cascade laser Herriott cell Earthquake pre-alarming
期刊论文	34637篇	<u> 查看全文 - 下载全文 - 导出 - 引用通知</u>
外文会议	26980篇	3 📕 地震序列早期参数估计和余震概率预测中截止震级Mc的影响:以2013年甘肃岷县
会议论文	4940篇	- <u>地层广约于新冬载临时和宋晨佩学顶预审截正晨级IIC的原列,以2013年日闲岷安</u> 一漳县6.6级地震为例
OA论文	3302篇	[期刊论文] 《 <u>地球物理学报》</u> ISTIC SCI PKU - 2013年12期 蔣长胜 吴忠良 韩立波 郭路杰 JI
学位论文	44篇	ANG Chang-Sheng WU Zhong-Liang HAN Li-Bo GUO Lu-Jie



3) Notes:

- The results can be displayed in a sequence of Relevancy or Publication Time or Citation Frequency.

- The left-side column shows the numbers of records in search results by Subjects and Types of Literatures.



4) You may further do a refined search to get more accurate results.





4) Refined search results

首页 > 检索结果		Cluster Information 找到 203 篇论文				
学科分类	> 展开	标题 作者 关键词 起始年 - 结束年 在结果中检索				
▶ 天文学、地···	166篇					
▶自然科学总论	7篇	全部 仅全文 数字出版事业部已购···· 排序: 相关度优先 新论文优先 经典论文优先 其他▼				
▶ 工业技术	7篇	1 🗏 <u>Coseismic uplift, slow plant mortality and ecol</u> Click Here t in North				
▶ 环境科学、···	6篇	Andaman following the December 2004				
▶ 农业科学	2篇	<u>(<i>M</i><i><sub>w</sub></i> >9.2)</u>				
▶ 交通运输	2篇	earthquake.				
▶ 经济	1篇	[外文期刊] Ray, S. K. Anshuman Acharyya 《Current Sort the search results al of Research», EI SCI 2011 2				
论文类型		We present here the phenomenon of gradual decay leading to plant mortality in vast stre tches (measuring several square kilometres) of vibrant mangrove forests in the coastal				
外文期刊	184篇	wetlands of North and Middl ∀≫t∋				
外文会议	8篇	关键词: coastal areas decay desiccation earthquakes environmental impact fores ts heat shock high altitude mangrove forests mangroves mortality natural di				
期刊论文	6篇	sasters soil salinity trees water flow wetlands India Commonwealth of Natio				
会议论文	4篇	ns Developing Countries South Asia Asia. <u>请求原文传递</u> - <u>导出</u>				
OA论文	1篇					



4) Notes:

- From the cluster information on the left, you can see that, in addition to Chinese literatures, the search results also include English literatures and Open-Access articles.

- About 1 million English journal articles are added to the database per year. Over 200,000 English conference papers are added to the database per year.

 Current Open-Access articles come from four sources, including DOAJ ` arXiv ` PubMed、 SRP.
By mid-2015, there were nearly 4.5 million OA records searchable through Wanfang Platform.



5) Assume that you need OA papers. So, click on "OA Paper" in the left-side column. Then, you can get a list of refined results including OA papers only.

首页 > 检索结果	¢	
学科分类	×展开	标题 作者 关键词 起始年 - 结束年 在结果中检索
▶ 天文学、地…	166篇	全部 仅全文 数字出版事业部已购⋯⋯ 排序: 相关度优先 新论文优先 经典论文优先 其他▼
▶自然科学总论	7篇	全部 仅全文 数字出版事业部已购···· 排序: 相关度优先 新论文优先 经典论文优先 其他▼
▶ 工业技术	7篇	1 🗏 <u>Coseismic uplift, slow plant mortality and ecological impact in North</u>
▶ 环境科学、···	6篇	Andaman following the December 2004
> 农业科学	2篇	(<:i>:M<:/i>:<:i>:<:sub>:w<:/sub>:<:/i>: >:9.2)
> 交通运输	2篇	earthquake.
		[外文期刊] Ray, S. K. Anshuman Acharyya 《Current Science: A Fortnightly Journal of
▶ 经济	1篇	Research», EI SCI 2011 2
▶ 经济 论文类型	1篇	Research», EI SCI 2011 2 We present here the phenomenon of gradual decay leading to plant mortality in vast stre tches (measuring several square kilometres) of vibrant mangrove forests in the coastal
论文类型	1篇 184篇	We present here the phenomenon of gradual decay leading to plant mortality in vast stre tches (measuring several square kilometres) of vibrant mangrove forests in the coastal wetlands of North and Middl
		We present here the phenomenon of gradual decay leading to plant mortality in vast stre tches (measuring several square kilometres) of vibrant mangrove forests in the coastal
论文类型 外文期刊	184篇	We present here the phenomenon of gradual decay leading to plant mortality in vast stre tches (measuring several square kilometres) of vibrant mangrove forests in the coastal wetlands of North and Middl 关键词: coastal areas decay desiccation earthquakes environmental impact fores



5) List of OA papers.

日 万方数据 WANFANG DATA 知识服务平台	<mark>学术论文</mark> 期刊 学位 Q earthquake 关键词:		₩ ₩₩ 学者 专利 様	示准 成果 图书	书 地方志 法规	机构专 ×
首页 > 检索结果					找到 1	篇论文
	标题	作者	关键词	起始年 - 结束	年 在结果中检索	
Get search re	esults		排序: 相关	度优先 新论文(优先 经典论文优先	其他▼
	Southeast Asia DOA [OA论文] K. McCue 《 Where available, regi map and elsewhere a k s or mines, were cobb 关键词: Seismic hazar UN/IDNDR	Annals of Geophy ional assessments mowledge of the pled t	rsics», 2012 (of <mark>earthquake</mark> tectonics and) hazard were c site specific	compiled into the studies, often fo	or dam



6) When you click on a particular paper title, you may go to the web page of the OA paper , where you can see a button linking to an external webpage for access to full-text of the OA paper

👋 首页 > OA论文



Where available, regional assessments of earthquake hazard were compiled into the final map and elsewhere a knowledge of the tectonics and site specific studies, often for dams or mines, were cobbled together to produce a regional map. Cornell's method was used with a variety of attenuation relationships chosen for their suitability depending on the tectonics. Various versions of McGuire's program FRISK88 or similar programs including the USGS SEISRISK and the Seismology Research Centre's GMREC were used for the computations.

нлато		
hazard	0/r	
asia	ga	
seismic	cen	
亚洲	铟	
灾害	eigenvector	
landslide	thrush	
full wave	ssta	
滑坡	eastern c…	
数量性状	summer pr***	
qtl	语料库	

作者:	K. McCue			
期刊:	Annals of Geophysics			
年,卷(期):	2012, 42(6)			
关键词:	Seismic hazard assessment	Australia- south Pacific-Southern Asia	earthquake	UN/IDNDR



6) An example of External webpage for access to fulltext of the OA paper



Seismic hazard mapping in Australia, the Southwest Pacific and Southeast Asia 🔤

K. McCue

Abstract

Where available, regional assessments of earthquake hazard were compiled into the final map and elsewhere a knowledge of the often for dams or mines, were cobbled together to produce a regional map. Cornell's method was used with a variety of attenuat suitability depending on the tectonics. Various versions of McGuire's program FRISK88 or similar programs including the USGS SEIS Centre's GMREC were used for the computations.

Keywords

Seismic hazard assessment;Australia- south Pacific-Southern Asia;earthquake;UN/IDNDR

Full Text - Views: 1021 PDF



7) If you only need access to foreign-language literatures such as journal articles or conference papers, you may click on "Foreigh-Language Journals" or "Foreign-Language Conferences" in the left-side

column.

		We present here the phenomenon of gradual decay leading to plant mortality in vast s
论文类型 <mark>Click I</mark>	Here	tches (measuring several square kilometres) of vibrant mangrove forests in the coast
外文期刊	184篇	wetlands of North and Middl 关键词: coastal areas decay desiccation earthquakes environmental impact fo
外文会议	8篇	ts heat shock high altitude mangrove forests mangroves mortality natural
期刊论文	6篇	sasters soil salinity trees water flow wetlands India Commonwealth of Nat
会议论文	4篇	ns Developing Countries South Asia Asia. 法式历史在第一一日中
DA论文	1篇	
		2 🗏 <u>Life science must go on: standing up after the 311 disaster</u>
年份	> 展开	[外文期刊] Osumi, Noriko . 《Genes to cells: devoted to molecular & cellular me
近一年	10篇	nisms», SCI 2011 7
近三年	51篇	Just 1 month has passed since the biggest earthquake ever recorded in Japan occurred the Tohoku-Kanto area. The earthquake was followed soon afterwards by an unexpected b
近五年	105篇	e tsunami that destroyed m
		关键词: radioactive contaminant: pollutantTohoku: Japan Asia Palearctic region
接刊分类		to: Japan Asia Palearctic region Fukushima: Japan Asia Palearctic region
中国地震研究…	4篇	rthquake radioactive contamination nuclear power plant electricity interruption 请求原文传递 - 导出
地学前缘(英文…	1篇	
地质学报(英…	1篇	3 🗏 Correlating recurrent radon precursors with local earthquake magnitu
		and crust strain near the Chihshang fault of eastern Taiwan.
T		[外文期刊] Kuo, T. Lin, C. Su, C. Liu, C. Lin, C. H. Chang, C. Chiang,
Cluster Info	rmation	C. 《Natural Hazards》, SCI 2011 2
		The active Chihshang fault in the southern segment of longitudinal valley of eastern

The active Chihshang fault in the southern segment of longitudinal valley of eastern Ta iwan is part of the suture boundary between the Eurasia plate and the Philippine Sea pl ate. Radon anomalies in gro...



8) The result page after clicking on "Foreign-Language Conferences" in the left-side column.

Sort the search results
2 E REMOTE SENSING AND OMNIDIRECTIONAL IMAGING FOR EFFICIENT BUILDING INVENTORY DATA-CAPTURING: APPLICATION WITHIN THE EARTHQUAKE MODEL CENTRAL
ASIA [外文会议] M. Wieland M. Pittore S. Parolai J. Zschau 2012 Local governments are often unable to keep track of the building inventory exposed to s eismic hazard, due to high urbanization rates and an increasingly high spatio-temporal variability in many present 关键词: Urban remote sensing Seismic vulnerability Omnidirectional imaging Central
Asia 请求原文传递 — <u>导出</u>
3
The Japan Aerospace Exploration Agency (JAXA) performed disaster monitoring of the Grea t East Japan Earthquake in 2011. The Advanced Land Observing Satellite (ALOS), "Daich i," acquired 450 scenes of di
关键词:ALOS PRISM AVNIR-2 disaster monitoring International Disaster Charte r Sentinel Asia

请求原文传递 - 导出



9) To get full-texts of foreign-language literatures, a user needs to pay for the On-Demand Document Delivery Service. A registered user will see a button named "Request for Document Delivery".

り推荐

» 首页 > NSTL会议论文 > IEEE International Geoscience and Remote Sensing Symposium

REMOTE SENSING AND OMNIDIRECTIONAL IMAGING FOR EFFICIENT BUILDING INVENTORY DATA-CAPTURING: APPLICATION WITHIN THE EARTHQUAKE MODEL CENTRAL ASIA

Local governments are often unable to keep track of the building inventory exposed to seismic hazard, due to high urbanization rates and an increasingly high spatio-temporal variability in many present-day cities. In order to provide a timeand cost-efficient approach to estimate building inventory and thus structural vulnerability that allows for assessing and monitoring seismic risk on different scales over large areas, the use of satellite remote sensing in combination with groundbased omnidirectional imaging is tested and applied. Latest image processing and statistical learning algorithms are used on multiple imaging sources in the framework of an integrated sampling scheme. Each imaging source and technique is used to capture specific, scale-dependent information of the exposed building stock. Preliminary results from an application within the

Earthquake Model Central Asia (EMCA) are presented.

🖸 导出

请求原文传递.

- 作者: M. Wieland M. Pittore S. Parolai J. Zschau
- 母体文献: 2012 IEEE international geoscience and remote sensing symposium. [v.5]
- 会议名称: IEEE International Geoscience and Remote Sensing Symposium

🔁 分享到 | 💰 应



Need more details or have any questions? Please contact Wanfang Data: Phone: +86-10-58882628 Email: overseas@wanfangdata.com

Thank you !